



PEGLER

 PAINTS OF AFRICA



PEGLER
PAINTS OF AFRICA



SILK VINYL

Washable & Anti-Mould Paint



Premium quality co-polymer emulsion
 Exceptional fashionable silky finish
 Very tough and washable.
 Suited for domestic interior use in
 bathrooms, stores pass ways kitchens
 and washrooms.
 Applied on: timber, plaster, stones,
 wallboards.



Usage



4H RECOAT TIME



4H DUST DRY TIME



RECYCLABLE



APPLICATION METHOD



CLEAN WITH WATER

10m² - 15m²

Coverage Per Litre


5yr Warranty

Colour:
 Customized as per customers
 preference

Emulsion

20L | 4L | 1L
 Ready mix colours
 Packaging

Base L
 Base D
 Base M
 Tinting Bases


 Water based
 Composition

Paints of Africa

HYGIENIC EMULSION COATING

Antibacterial Protection



Pegler Hygienic Coating is an Antibacterial emulsion paint ideally made for use in hospitals, kitchens, bathrooms, clinics, Children rooms, nursery, restaurants, public buildings etc. It has biocides that completely eliminate bacteria and fungi that cause diseases.



Usage



4H RECOAT TIME



4H DUST DRY TIME



RECYCLABLE



APPLICATION METHOD



CLEAN WITH WATER

10m² - 15m²
Coverage Per Litre

Syr Warranty

Colour:
Customized as per customers preference

Emulsion

20L | 4L | 1L
Ready mix colours
Packaging

Base L
Base D
Base M
Tinting Bases


Water based
Composition

Paints of Africa

WEATHERGUARD

Silcone Exterior Emulsion



Super Premium exterior decorative and protective paint incorporated with special Silicone additives. Gives it outstanding water resistance, breathability, self-cleaning properties and resistance to extreme weather conditions. Reduces the maintenance costs and increases the life-span of your building.



Usage



4H RECOAT TIME



4H DUST DRY TIME



RECYCLABLE



APPLICATION METHOD



CLEAN WITH WATER

10m² - 15m²

Coverage Per Litre


15yrs Warranty

Colour:
Customized as per customers preference

Emulsion

20L | 4l | 1L
Ready mix colours
Packaging

Base L
Base D
Base M
Tinting Bases


Water based
Composition

Paints of Africa

WEATHERGUARD

Exterior Emulsion



A premium quality exterior emulsion paint with 100% pure acrylic latex designed for use on most exterior surfaces. Specially formulated to provide excellent weather resistance, good coverage & easy application. Its recommended for use on plaster, cement, brickwork, stone and wood surfaces.



Usage



4H RECOAT TIME



4H DUST DRY TIME



RECYCLABLE



APPLICATION METHOD



CLEAN WITH WATER

10m² - 15m²

Coverage Per Litre

10yrs Warranty

Colour:
Customized as per customers
preference

Emulsion

20L | 4L | 1L
Ready mix colours
Packaging

Base L
Base D
Base M
Tinting Bases


Water based
Composition

Paints of Africa

VINYL MATT

Luxurious Matt Finish Paint



Made from acrylic emulsion and high quality pigments.
Gives excellent opacity and durability on interior and exterior surfaces.
Suitable for use on walls and ceilings.



Usage



4H RECOAT TIME



4H DUST DRY TIME



RECYCLABLE



APPLICATION METHOD



CLEAN WITH WATER

10m² - 15m²
Coverage Per Litre

Syrs Warranty

Colour:
Customized as per customers preference

Emulsion

20L | 4L | 1L
Ready mix colours
Packaging

Base L
Base D
Base M
Tinting Bases


Water based
Composition

Paints of Africa

MOONMATT

Treat your walls to a Fresh Coat



Trade-grade emulsion paint specially formulated for interior and exterior use on walls and ceilings. Matt finish applied directly to plaster, soft board surfaces, cement rendering, brick and stone.



Usage



4H RECOAT TIME



4H DUST DRY TIME




RECYCLABLE



APPLICATION METHOD



CLEAN WITH WATER



Coverage Per Litre


3yrs Warranty

Colour: Limited colours
Customized as per customers preference

Emulsion

20L | 4L | 1L
Ready mix colours
Packaging

Tinting Bases


Water based
Composition

Paints of Africa

PACIFIC EMULSION

Treat Your Walls To a Fresh Coat



Economical emulsion paint
Gives an attractive coating on interior surfaces and ceilings.



Usage



10m² - 13m²

Coverage Per Litre

1yr Warranty

Colour: Limited Colour
Customized as per customers preference

Emulsion

20L | 4L | 1L
Ready mix colours
Packaging

Tinting Bases


Water based
Composition

Paints of Africa

MOONMATT UNDERCOAT

Anti-Bacterial



Trade-grade emulsion paint specially Formulated for interior and exterior use on walls and ceilings. Matt finish and can be applied directly to plaster, soft board surfaces, cement rendering, brick and stone.



Usage



4H RECOAT TIME



4H DUST DRY TIME



RECYCLABLE



APPLICATION METHOD



CLEAN WITH WATER

10m² - 15m²

Coverage Per Litre


3yrs Warranty

Colour: White/Soft White
Other Limited Pastel Colors available.

Emulsion

20L | 4L | 1L
Ready mix colours
Packaging

Tinting Bases


Water based
Composition

Paints of Africa

SUPER GLOSS

Interior/Exterior



Premium quality paint formulated with finely ground pigments in alkyd and polyurethane resins. Providing maximum durability, high gloss levels, excellent color and gloss retention



Usage



4H RECOAT TIME



4H DUST DRY TIME



RECYCLABLE



APPLICATION METHOD



CLEAN WITH WATER

10m² - 14m²

Coverage Per Litre


5yrs Warranty

Colour:
Customized as per customers preference

Gloss

4L | 1L
Ready mix colours
Packaging

Base L
Base D
Base M
Tinting Bases


Oil based
Composition

Paints of Africa

PEGLER WALL SKIM FILLER

Offers a white smooth finish



A premium lime- based stucco putty manufactured from carefully selected additives and light weight fillers which when applied, dries to give a white smooth finish.

Has strong base, is long lasting, and is water repellent.



Usage



4H RECOAT TIME



4H DUST DRY TIME



RECYCLABLE



APPLICATION METHOD



CLEAN WITH WATER

0.6-0.9 m²/Kg

Coverage Per KG

5yrs Warranty

Colour:

Powder

25kg | 5kg | 2.5kg
1kg | 1/2kg
Ready mix colours
Packaging

Tinting Bases


Water based
Composition

Paints of Africa

SMART GLOSS

Treat your surface to a Fresh Coat



2nd quality gloss paint manufactured from finely ground pigments in an alkyd resin medium, gives a tough high gloss finish for the protection of wood, metal, brick, stone etc. Used in both interior and exterior surfaces.



Usage



4H RECOAT TIME



4H DUST DRY TIME



RECYCLABLE



APPLICATION METHOD



CLEAN WITH WATER

10m² - 13m²

Coverage Per Litre

1yr Warranty

Colour: Limited Colour
Customized as per customers
preference

Gloss

4L | 1L | 1\2L
Ready mix colours
Packaging

Tinting Bases


Oil based
Composition

Paints of Africa

ROUGH ROCK /GRAFFIATO

Exterior Weather Resistance



Super premium acrylic architectural emulsion paint with mould-resistant biocides for a long life protection. Multi-directional textures on exterior or interior cementitious surface. Applied to plaster, cement rendering, block work, cement, stone, bag-washed, fair-faced concrete, timber, glass, and aluminum.



Usage



4H RECOAT TIME



4H DUST DRY TIME



RECYCLABLE



APPLICATION METHOD



CLEAN WITH WATER

1mm & 1.5mm : 8m²-12m²
2mm & 3mm : 4.5m²-10m²

Coverage Per 30Kg

15yrs Warranty

Colour:
Customized as per customers preference

1mm
1.5mm
2mm
3mm
Emulsion

30KGs
Ready mix colours
Packaging

Tinting Bases


Water based
Composition

Paints of Africa

WOOD VARNISH

Wood Coating



Pegler Wood Varnish is a top quality alkyd based single pack wood coating, which is hard-wearing and UV resistant for interior and exterior use. This varnish can be used on all types of woodwork where outstanding durability is desired. It comes in clear, mahogany, walnut, medium oak, and dark oak shades.



Usage



10m² - 14m²
Coverage Per Litre

1yr Warranty

Colour:
Customized as per customers
preference

Emulsion

20L | 4L | 1L
Ready mix colours
Packaging

Tinting Bases


Water based
Composition

Paints of Africa















PEGLER EGGSHELL ENAMEL

A semi-gloss oil based paint specifically formulated for high traffic areas, walls, corridors, reception areas, where exceptional resistance to dirt and wear is required but full gloss finish is not preferred.

PEGLER ACRYLIC BINDER

A specially formulated paint with high binding capacity on concrete, bricks, stones, walls etc. It is popular for providing a semi-gloss finish which is more dust easily resistant and can be cleaned easily.

PEGLER POLYURETHANE CLEAR VARNISH

Pegler's Polyurethane clear Varnish is a high quality varnish specifically formulated to produce extremely tough, maxi-gloss clear finish on all types of timber flooring, parquet and any other woodwork where extreme toughness and full gloss is required.

PEGLER SANDING SEALER

Pegler Sanding Sealer is a single pack quick drying clear sealer with excellent sanding and sealing properties, but limited abrasion and chemical resistance. Manufactured from resin modified nitrocellulose, it fills the pores of a new and bare woodwork prior to finishing with a desired varnish or paint.

PEGLER BRIGHT SILVER ALUMINIUM (LEAFING)

This is a top quality paint made from a carefully selected leafing aluminum and primarily designed for use in both interior and exterior iron and steel works. Provides resistance to heat, dampness and salt water.

PEGLER ROADMARKING PAINT

Pegler Road-Marking is an acrylic hardwearing, durable, matt finish paint designed for marking traffic lines, signs for general road surfaces and parking lots. For safety purposes, it is advised to sprinkled ballotini beads on applied wet paint to achieve a reflective finish.

PEGLER TWO PACK EPOXY COATING

Pegler Epoxy Coating is a two-pack high performance coating offering extreme surface protection against chemical attacks, water penetration and abrasion. It is highly recommended for interior use on metals, wood and concretes in areas such as laboratories, hospitals, food and chemical plants etc.

PEGLER STANDARD THINNER

A standard lacquer and equipment cleaner thinner made from a mixture of solvents carefully selected and mixed in proper ratio to suit its purpose. It is compatible with Pegler's Nitrocellulose Paints such as Pegler's Sanding Sealer as well as Fast Dry paints etc.

PEGLER WHITE SPIRIT

This is a general-purpose thinner equipment cleaner, composed purely of white spirit. It is compatible with most of the products such as Gloss and Eggshell enamels, Single pack varnishes and stains, Roof and Floor paints, Metal primers, Universal paints etc.

PEGLER SCHOOLBOARD PAINT

This is a top quality finish paint designed for use in school boards as well as wrought iron and any other work, where a dense matt finish, black or green is of necessity.

PEGLER FLOOR PAINT ENAMEL

This is a hard wearing semi to full gloss alkyd based paint designed for interior use on floors constructed from concrete, bricks, stones, timber etc.

PEGLER ROOF PAINT ENAMEL

A high quality paint based on alkyd resin medium with a semi glossy finish specially formulated to provide durable coating for galvanized roofing and exposed steelwork. Incorporates special materials that protects the painted iron surfaces against rust.

PEGLER METAL PRIMER

Superior quality alkyd based primer surfacer primarily designed for use on all types of steel and ironworks. Comes in matt finish range of Grey and Red Oxides with special raw materials that curb rusting in metal surfaces.

PEGLER BLACK BITUMINOUS PAINT

This is an exterior protective coating ideal for tanks, structural steel-works, metal pipes, corrugated roof sheets, flat galvanized roof sheets etc. It provides durable and flexible films with very good adhesion on the mentioned substrates.





PEGLER PAINTS LIMITED

HEAD OFFICE

Runyenjes Road off Nanyuki Road
Industrial Area, NAIROBI, Kenya
P.O. Box 40300 - 80100.

Tel: +254 714 888 000,
+254 724 777 740

Email: info@peglerpaints.co.ke
Web: www.peglerpaints.co.ke



@PeglerPaints



Mombasa Branch
Tel: +254 727 111120
Pegler Paints,
Kenyatta Avenue
Opp Pentecostal Church



Kisumu Branch
Tel: +254 728 235235
Oginga Odinga Road.



Garissa Branch
Tel: +254 728 332277
Sankuri Road Opp Ganana College
Next to Garissa commercial College



Somali Branch
Tel: +252 627315555
Mogadishu



South Sudan Branch
Tel: +211 913 733 338
+211 927 773 350
Juba